



# Hover-1 Superstar Battery Replacement

This guide will assist in removing the battery of the Hover-1 Superstar hover board.

Written By: Keegan



---

## INTRODUCTION

The battery for the Hover-1 Superstar can cause many different problems when it is faulty or not working. This guide will show you the steps that go along with replacing the battery.

---

### TOOLS:


- [Phillips #1 Screwdriver](#) (1)
-

## Step 1 — Bottom Case





- Flip your Hover-1 Superstar device upside down.
- Using a Phillips #1 screwdriver, remove all twenty of the 18mm screws holding the case onto the device.
- Remove the bottom case. Be careful of the connector holding the case and the device together.

## Step 2




- Locate the cable connected to the front lights.
- Pull apart the wires until the black clip separates.

### Step 3 — Battery




- Locate the four 14mm screws securing the battery bracket.
- Remove the screws with a Phillips #1 screwdriver.

### Step 4



- Pull and disconnect the cable connector that is connected to the battery.

## Step 5



- Pull on the battery until it separates from the hover board. You may need to use some force.
- ⚠ Be sure the battery is disconnected before performing this step to avoid electrocution.
- ⓘ There will be a loud crack when the battery is removed. This is normal due to the adhesive on the back of the battery.
- Pull the battery out of the hoverboard. Move wires away from the battery if necessary.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2019-07-20 05:56:45 PM.