



# How to Reset your Dell Printer Factory Setting and Cartridge

Here you can find the how to reset Dell Printer Factory setting and reset Cartridge setting. Read this article and follow the step by step guidance.

Written By: Sofia james



How to Reset Dell  
Printer to Factory Setting



## INTRODUCTION

On the off chance that you've rolled out certain improvements to the settings of your Dell office printer and now the unit won't work legitimately, it tends to be hard to follow your means and return the printer to its past state. For a situation like this, it may be simpler to complete an industrial facility reset on the printer, which reestablishes all the first settings from when the unit was delivered from the processing plant. In the event that your printer is arranged, you may probably reset it utilizing its Web support; else, you'll have to utilize the on-board menu board or press a specific key blend on the printer to reset it

Follow these steps for [Reset Dell Printer Factory setting and cartridge](#)

## Step 1 — Reset Dell Printer to Factory Setting



- Open a Web program and type the printer's IP address to get to its Web comfort. Your system director ought to have the printer's IP address, or you may almost certainly discover it by printing an arrangement page. Normally, squeezing and holding the "Proceed" catch will produce the page.
- Sign in to the comfort - your system director ought to have this data - and search for the "Reset Print Server" alternative, normally situated in a segment marked "Printer settings" or comparable.
- Shut the printer off and unplug it. Leave the printer unplugged for five minutes. Fitting it back in and turn it on.

## Step 2 — Reset your Dell Printer Cartridge

# Reset Dell Printer Cartridge



- Addition the refilled inkjet cartridge in your Dell printer and turn off the printer for no less than five seconds.
- Turn on the printer and you'll see a Dell print utility discourse window open on your PC screen. The window shows a notice that your print level is underneath the base dimension. In the event that this window doesn't dispatch naturally, open a report and endeavor to print.  
.
- Uncheck the "Total a-Print" check box. Just underneath it you'll see the "Don't Display This Dialog Again" box; check it.
- Click on OK or "Keep Printing," contingent upon whether you're on the startup cautioning page or in the event that you endeavored to print a report, individually. This resets your ink level.

To reassemble your device, follow these instructions in reverse order.