




2008-2013 Subaru Forester Oil & Filter Replacement

2008-2013 Subaru Forester 2.5 Boxer Engine (Non-Turbo) - Oil & Filter Change

Written By: Nick

 SUBARU | MICHAEL HOHL SUBARU

The SUBARU BOXER® Engine.



Flat. Smooth. Smart.

INTRODUCTION

Today, we are going to change the oil in a 2008-2013 Subaru Forester (Non-Turbo).



PARTS:

- [15208AA160](#) (1)
- [0W-20 Motor Oil](#) (6)

0W-20 Motor Oil
Non Turbo

Step 1 — Draining the old oil out



⚠ Engine oil can be scalding hot! If your engine is warmed up, wait a few minutes to allow the oil to cool before beginning.

- ***Drive your Subaru's front wheels up onto ramps. Shut off engine. Then crawl under and find the oil drain plug/bolt. Make sure to have your oil catching device under the drain bolt. Then unscrew!***

Step 2 — Changing the oil filter




- ***As the oil drains, get out from under your car and take off oil filter. Make sure the old gasket comes off with old oil filter. If not, remove from engine. Then add some oil to the gasket of the new filter via your finger. Then screw onto engine but do not over tighten.***

Step 3 — Tighten the drain plug



- **Before refiling the engine with 0W-20 oil, reinstall and tighten the drain plug. Don't over tighten!**

Step 4 — Refilling the engine with new oil



- **Refill the engine with oil. Do not over-fill. Add the amount that is suggested in the owners manual.**

