



Nexus 4 Back Cover Replacement

This guide shows how to remove the back case from the Nexus 4.

Written By: Kaitlyn Jones



INTRODUCTION

This guide shows how to remove the back case from the Nexus 4, giving access to the internal features of the phone. This will take a couple of minutes.

TOOLS:

- [iFixit Opening Tools](#) (1)
- [T5 Torx Screwdriver](#) (1)
- [SIM Card Eject Tool](#) (1)

PARTS:

- [Nexus 4 \(GSM\) Rear Panel](#) (1)
- [Nexus 4 \(GSM\) Rear Panel NFC Antenna](#) (1)
- [Google Nexus 4 \(GSM\) Sim Card Tray](#) (1)

Step 1 — Back Cover



- Remove the SIM tray using the [SIM Card Eject Tool](#).
- ☑ This step is required in order to remove the back case.

Step 2



- Remove the two screws from the bottom of the phone with a [T5 Torx Screwdriver](#).

Step 3



- Gently open the back case by prying along the edge of the cover, starting at a corner of the phone and circling around the phone using a [plastic opening tool](#).
- ⓘ The opening process may take a few minutes. The plastic will make a light snapping noise as the back cover separates from the rest of the phone.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2019-07-11 04:04:49 AM.