




HP Pavilion x360 14m-cd0005dx Back Cover Replacement

Use this guide to remove and replace the back cover to your HP Pavilion x360 14m-cd0005dx.

Written By: Jacob Richardson Earl



INTRODUCTION

Use this guide to aid in the removal and replacement of the back cover to any HP Pavilion x360 14m-cd0005dx laptop. If there are ever any cracks or issues with it closing fully, a full replacement might be necessary.

The back cover is generally removed for any significant modifications or repair to a computer. The back cover comes off and goes back on relatively quickly. Luckily, replacing the back cover is reasonably quick and easy; it also has minimal risk of damage to the device.

TOOLS:

- [Phillips #0 Screwdriver](#) (1)
 - [iFixit Opening Tools](#) (1)
 - [Phillips #00 Screwdriver](#) (1)
-

Step 1 — Back Cover



- Turn off and shut down the computer.
 - Disconnect the power adapter and all external devices connected to the computer.
- ⚠** Do not work with the device powered on. It may result in bodily harm through electric shock.

Step 2




- Flip the device with the backplate up and with the hinge on the far side.

Step 3



- Use the opening tool to remove the rubber feet attached to the bottom of the device.

Step 4



- Remove all screws located on the bottom of the device:
 - Two Phillips #0 7.0mm screws
 - Three Phillips #00 4.5mm screws
- ☑ Make sure to keep track of all screws removed from the device.

Step 5



- Using the opening tool, carefully remove the bottom cover from the device.

To reassemble your device, follow these instructions in reverse order.

This document was generated on 2020-05-20 08:25:16 PM (MST).

