



# Towel Bar Replacement

This will be a full guide on how to replace a towel bar.

Written By: Muhammad Madni



## INTRODUCTION

Replacing a towel bar needs a guide because sometimes you can find yourself wanting to renovate your bathroom, replace an old rusty towel bar or have a loose towel bar. Instead of hiring someone to perform this very simple task and adding to your expense of home renovations, you can perform this task on your own. Now with this guide anyone with no knowledge of this task can do it themselves.



### TOOLS:

- Slot head screwdriver (this may vary depending on the screws you are using) (1)
- Measuring Tape (1)



### PARTS:

- Replacement Towel Bar (1)
- 2 screws (1)

## Step 1 — Towel Bar



- Measure the length of your current towel bar to make sure that your replacement towel bar is the correct size and will fit onto the same wall brackets.

## Step 2



- In most cases, you can remove the towel bar by removing the screws underneath the bar holders.

### Step 3



- Remove the towel bar from the wall brackets.

### Step 4



- Place the new towel bar on top of the wall brackets and make sure that the bar is level.

## Step 5



- Insert the screws into the holes beneath each bar holder.

## Step 6



- After inserting the screws, screw in both sides firmly. Your new towel holder should now be good to use.

To reassemble your device, follow these instructions in reverse order.