MacBook Pro 15" Unibody Mid 2009 RAM Replacement

Written By: Walter Galan

This document was generated on 2020-11-14 01:42:48 AM (MST).

© iFixit — CC BY-NC-SA   www.iFixit.com   Page 1 of 4

INTRODUCTION

Upgrade your RAM for an instant increase in speed.

TOOLS:

- Phillips #00 Screwdriver (1)

PARTS:

- MacBook Pro 15" Unibody Mid 2009 Memory Maxxer RAM Upgrade Kit (1)
- PC3-8500 2 GB RAM Chip (1)
- PC3-8500 1 GB RAM Chip (1)
- PC3-8500 4 GB RAM Chip (1)

This document was generated on 2020-11-14 01:42:48 AM (MST).

Step 1 — Lower Case

- Remove the following ten screws securing the lower case to the upper case:
  - Seven 3 mm Phillips screws.
 - Three 13.5 mm Phillips screws.

Step 2

- Using both hands, lift the lower case near the vent to pop it off two clips securing it to the upper case.
- Remove the lower case and set it aside.

Step 3 — RAM

- Release the tabs on each side of the chip by simultaneously pushing each tab away from the RAM.

- ⓘ These tabs lock the chip in place and releasing them will cause the chip to "pop" up.

- After the RAM chip has popped up, pull it straight out of its socket.

- 📌 Repeat this process if a second RAM chip is installed.

To reassemble your device, follow these instructions in reverse order.