



# MacBook Pro 15" Core 2 Duo Models A1226 and A1260 RAM Replacement

Written By: Walter Galan



## INTRODUCTION

Accessing the RAM is easy.



### TOOLS:

- [Phillips #00 Screwdriver](#) (1)



### PARTS:

- [MacBook Pro 15" Model A1226 Memory Maxxer RAM Upgrade Kit](#) (1)
- [MacBook Pro 15" Model A1260 Memory Maxxer RAM Upgrade Kit](#) (1)
- [PC2-5300 512 MB RAM Chip](#) (1)
- [PC2-5300 1 GB RAM Chip](#) (1)
- [PC2-5300 2 GB RAM Chip](#) (1)
- [PC2-5300 4 GB RAM Chip](#) (1)

## Step 1 — Battery




- Use your fingers to push both battery release tabs away from the battery, and lift the battery out of the computer.

## Step 2 — RAM Shield



- Remove the three identical 2mm PH000 Phillips screws from the memory door.
- Lift the memory door up enough to grip it and slide it toward you, pulling it away from the casing.

## Step 3 — RAM



- Release the tabs on each side of the RAM chip at the same time. These tabs lock the chip in place and releasing them will cause the chip to "pop" up.
- Pull the chip directly out from its connector.
- ⓘ If there are two RAM chips installed, repeat the above procedure for the second chip.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2019-07-14 05:01:47 PM.